

High- pressure leak sealing system



- Innovation from Vetter
- Sealing in difficult- to- access places
- For leaks in pipes with diameter up to 20 cm (8 inch)



www.vetter.de/vetter_emergency/en/Rescue+Products/Sealing+leaks/High_pressure+leak+sealing+system-p-3314.html

Intelligent hose system for complicated pipe leaks.

In close collaboration with Henkel KGaA, Dusseldorf, Vetter has developed an intelligent sealing hose system. Now you can effortlessly access even hard- to- reach leaks in narrow or unevenly shaped piping systems.

The flexible hoses fit perfectly even over complicated leaks, e.g. at T- pieces, pipe bends, connecting branches and welded seams. The hoses are inflated in seconds.

Emergency Pneumatics

Technical data

- Working pressure: 14 bar (203 psi)

Product	Art. no.	Air requirement, at working pressure litres / cu.ft.	Temperature °C / °F	Weight, approx. kg / lbs
1.5 m Sealing hose	1500015901	11,1 0,4	-30 - +80 -22 - +176	1,1 2,5
2.5 m Sealing hose	1500016001	20 0,7	-30 - +80 -22 - +176	1,4 3,0
3.5 m Sealing hose	1500016101	27,9 1	-30 - +80 -22 - +176	1,8 3,9

Accessories

- Inflation with cylinder
- Inflation with alternative air source



In operation...

- Can be used on T- pieces, pipe bends or difficult- to- access connecting branches
- For leaks in pressure lines or fittings



Good reasons...

- Universally usable and easy to use
- Additional sealing plates for extra stability
- Sealing hoses with electrostatic conductivity (DIN ISO 8031/8.97)



Guaranteed quality:

- Individually tested (with inspection seal)
- Earth connection to sealing hose coupling on both sides
- All metal parts made of stainless steel

Please contact us directly should you have any further questions concerning this product.

Sales

Phone.: +49 (0) 22 52 / 30 08-0

Fax: +49 (0) 22 52 / 30 08-590

E- Mail: vetter.info@idexcorp.com

Or find the nearest dealer under:

[www.vetter.de/ support/ haendler](http://www.vetter.de/support/haendler)
